



Legal Department
Milliken & Company
920 Milliken Road (M-495)
P.O. Box 1926
Spartanburg, SC 29304

Fax**RECEIVED
CENTRAL FAX CENTER****JUN 14 2006**

To: Examiner: Shewareged, Betelhem
USPTO
PO Box 1450
Alexandria, VA 22313-1450

From: Cheryl J. Brickey

Fax: 571-273-8300

Fax: (864) 503-1999

Phone:

Phone: (864) 503-1540

Subject: Application of Cates et al.
Serial Number: 10/044,171
Filed: October 22, 2001
Group Art Unit: 1774
Case No.: 5235
U.S. PTO Customer No. 25280

Date: Wednesday June 14, 2006

Copies:

Pages: 20, including cover

Comments:

Please confirm your receipt, via facsimile, of this correspondence:

- This transmittal: 1 page
- Notice of Appeal: 1 page
- Appeal Brief: 12 pages
- Amendment filed with an Appeal Brief: 6 pages

Confidentiality Notice:

Privileged/Confidential information may be contained in this facsimile and is intended only for the use of the addressee. If you are not the addressee, or the person responsible for delivering this facsimile to the addressee, you may not copy or deliver it to anyone else. If you receive this facsimile by mistake, please notify us immediately by telephone. Thank you.

U.S. PTO Customer No. 25280

Case No.: 5235

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Cates et al.
Serial Number: 10/044,171
Filed: October 22, 2001
For: Coated Textile Substrate for Image Printing
Group Art Unit: 1774
Examiner: Shewareged, Betelhem

RECEIVED
CENTRAL FAX CENTER
JUN 14 2006

Mail Stop Appeal Brief-Patents
Commissioner for Patents
PO Box 1450
Alexandria VA 22313-1450

Sir:

APPEAL BRIEF

The original claims of the above referenced application were the subject of a rejection in an Office Action dated November 22, 2005, and a final rejection in an Office Action dated April 26, 2006 rejecting claims 1, 3, and 23-28. A Notice of Appeal for the above referenced application has been filed herewith. The following is a brief in support of the Appellant's position. The Commissioner is hereby authorized to withdraw any fees required for submission of this Appeal Brief from our Deposit Account No. 04-0500.

Certificate of Transmission by Facsimile Under 37 CFR §1.8	
I hereby certify that this correspondence, along with all documents referred to as being enclosed herewith, is being transmitted by facsimile to the U.S. Patent and Trademark Office on June 14, 2006, at the facsimile number listed below.	
Facsimile Number: 1-571-273-8300	
Name: <u>Susan Simpson</u>	Signature: <u>Susan Simpson</u>

U.S. PTO Customer No. 25280

Case No.: 5235

(i) REAL PARTY IN INTEREST

The above referenced application is the subject of an assignment to Milliken & Company, located in Spartanburg, S.C., which is the real party in interest.

(ii) RELATED APPEALS AND INTERFERENCES

Appellant is not aware of any related appeals or interferences that may directly affect, be directly affected by, or have a bearing on the Board's decision in the pending appeal.

(iii) STATUS OF CLAIMS

The above referenced application contains claims 1, 3, and 23-28 and a copy of the claims as pending is attached as Appendix A. Claims 4-22 were withdrawn from consideration as a non-elected invention. An amendment is submitted herein with the appeal brief which conforms to the requirements of 37 CFR 1.116 in that it places the application in better form for appeal. Applicants respectfully request entry of this amendment submitted herein. The amendment amends claim 3 to depend on claim 1.

(iv) STATUS OF AMENDMENTS

An amendment is submitted herein with the appeal brief which conforms to the requirements of 37 CFR 1.116 in that it places the application in better form for appeal. The amendment amends claim 3 to depend on claim 1.

(v) SUMMARY OF CLAIMED SUBJECT MATTER

In the present invention, a coating having cationic and repellant characteristics is coated onto the surface of a textile to receive a colorant image by processes such as digital printing. The coating comprises a combination of a repellant finish chemical, a cationic material, and a sorbant polymer.

Generally, the textile of the present invention can include banner or sign fabrics, upholstery fabrics, drapery fabrics, other fabrics for home furnishings, napery fabrics, apparel fabrics, carpeting, and the like. The textile can be a woven, knitted, non-woven material, tufted materials, and the like. Woven textiles can include, but are not limited to, satin, poplin, and crepe weave textiles. Knit textiles can include, but are not limited

U.S. PTO Customer No. 25280

Case No.: 5235

to, circular knit, warp knit, and warp knit with a microdenier face. (Page 3, line 6-16)

Repellant finish chemicals include fluorochemicals, silicones, resin-based finishes, waxes, wax-metal emulsions, organometallic complexes, and combinations thereof. It is believed that the repellant properties of the repellant finish chemicals help prevent the colorant from being absorbed into the textile, and facilitates allowing the colorant to fill the entire intended zone for the colorant. (Page 3, lines 17-22)

Fluorochemical repellants include chemicals that contain perfluorocarbon groups. The fluorochemical repellants can be the products of copolymers of perfluoroalkyl acrylates or methacrylates with other comonomers. The comonomers include esters of acrylic or methacrylic acid containing alkyl groups, alkylamide groups, or polyether groups. The fluorochemical repellants can also be emulsions or solvent solutions for application to the textile material. (Page 3, lines 23-29)

Cationic materials are materials that have a positive charge. The charge of the cationic material could also be a partial charge. It is believed that the cationic material helps hold the colorant on the surface of the intended zone, thereby reducing any bleeding of the color medium into unintended areas or absorption of the colorant into the textile. (Page 5, lines 8-12)

Metal salts that can be used for the cationic material of the present invention include water soluble salts of cations from Group II, Group III, or the Transition Metals of the Periodic Table. Examples include magnesium, calcium, aluminum, zinc, zirconium, and boron. In one embodiment, the salts have an anion of a weak acid, such as acetate forming or the like. (Page 6, lines 1-5)

The coating having cationic and repellant properties is applied to the textile and then the image is placed upon the surface of the textile having the coating thereon. (Page 9, lines 7-9)

(vi) ISSUES TO BE REVIEWED ON APPEAL

- A. Whether Or Not Claims 1, 3, and 23-28 Are Patentable Over Mishima (US Patent 6,183,851) in view of Kawasaki et al. (US Patent 6,338,891).

U.S. PTO Customer No. 25280

Case No.: 5235

(vii) ARGUMENT**A. Whether Or Not Claims 1, 3, and 23-28 Are Patentable Over Mishima (US Patent 6,183,851) in view of Kawasaki et al. (US Patent 6,338,891).**

Claims 1, 3, and 23-28 were rejected as obvious over Mishima (US Patent 6,183,851) in view of Kawasaki et al. (US Patent 6,338,891). The Office Action states that Mishima teaches an inkjet recording medium comprising a support and a coating layer, the coating layer comprising a polysaccharide binder (equivalent to the claimed sorbant), a metal salt (equivalent to the claimed cationic material), and silicone oil (equivalent to the claimed repellent). Applicants respectfully traverse this rejection for the following reasons.

Claims 1, 3, 23-25, and 27-28

The Office Action states that Mishima does not teach the use of a fluorocarbon resin in place of the silicone oil, but that Kawasaki teaches an ink jet recording sheet with an ink receiving layer comprising repellants such as fluorocarbon resin, silicone resin, and alkyl ketene dimmer. The Office Action takes Official Notice of the equivalence of fluorocarbon resin and silicone oil in ink receiving art and states that selection of any of these known equivalents to make an ink jet receiving layer would be within the level of ordinary skill in the art. The Applicants respectfully disagree.

Applicants believe that Mishima and Katsuhiko et al. were improperly combined for a prima facie obviousness rejection. The mere fact that references can be combined or modified does not render the resultant combination obvious unless the prior art also suggest the desirability of the combination. *In re Mills*, 916 F.2d 860, 16 USPQ2d 1430, 4132 (Fed. Cir. 1990). The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, not in applicant's disclosure. *In re Vaeck*, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991). Mishima discloses silicone oils as a high boiling organic solvent for use as a plasticizer, lubricant, or anticurling agent (Col 16, lines 1-6). Kawasaki et al. discloses the use of a fluorocarbon resin type or silicone resin type as a water repellent and sizing agent. There is no motivation, teaching, or suggestion in Mishima to use a fluorocarbon resin type water repellent and sizing agent as a replacement for the silicone oil

U.S. PTO Customer No. 25280

Case No.: 5235

plasticizer, lubricant, or anticurling agent. Therefore, Applicants respectfully believe that the requirements of obviousness has not been met.

Claim 26

Claim 26 includes the recitation that the cationic material comprises a water soluble metal salt of cations selected from the group of the periodic table consisting of: Group II, Group III, and the Transition Metals. Mishima discloses salts of alkaline earth metals (barium sulfate, calcium carbonate, magnesium sulfate) as examples of a solid particulate matting agent (Col 13, lines 27-35). These matting agents of Mishima are dispersible in a hydrophilic organic colloidal binder, but are well known to be insoluble in water. If the particles were soluble in water (i.e. the particles dissolved in water) then they would no longer function as a solid particle necessary for the particle to function in their intended use as a matting particle. Neither Mishima, nor Kawasaki et al., together or taken separately, disclose the use of a cationic material comprising a water soluble metal salt of cations selected from the group of the periodic table consisting of: Group II, Group III, and the Transition Metals.

U.S. PTO Customer No. 25280

Case No.: 5235


Conclusion

For the above reasons, Appellant respectfully requests the Appeal Board to reverse the decision of the examiner. In the event that there are additional fees associated with the submission of these papers, Applicant hereby authorizes the Commissioner to withdraw those fees from our Deposit Account No. 04-0500. Also, in the event that additional time is required to have the papers submitted herewith for the above referenced application to be considered timely, Applicant hereby petitions for any additional time required to make these papers timely and authorization is hereby granted to withdraw any additional fees necessary for this additional time from our Deposit Account No. 04-0500.

June 14, 2006

Respectfully submitted,

Legal Department
Milliken & Company
920 Milliken Road (M-495)
P.O. Box 1926
Spartanburg, SC 29304


Cheryl J. Brickey
Agent for Applicant(s)
Registration Number 56,891
Tel # (864) 503-1540
Fax # (864) 503-1999

U.S. PTO Customer No. 25280

Case No.: 5235

(viii) CLAIMS APPENDIX

1. (Previously presented) A device comprising:
a textile substrate having a first surface;
a coating on the first surface of said textile substrate, said coating including a
repellant finish chemical, a cationic material, and a sorbant polymer,
wherein the repellant finish chemical of said coating comprises a repellant
fluorochemical.
2. (Cancelled)
3. (Previously presented) The device according to Claim 2, wherein the
fluorochemical comprises a repellant chemical from the perfluorocarbon groups.
4. (Withdrawn) The device according to Claim 1, wherein the repellant finish
chemical of said coating comprises a silicone repellant.
5. (Withdrawn) The device according to Claim 4, wherein the silicone repellant of
said coating comprises a polymer of methyl (hydrogen) siloxane.
6. (Withdrawn) The device according to Claim 4, wherein the silicone repellant of
said coating comprises a polymer of dimethylsiloxane.
7. (Withdrawn) The device according to Claim 1, wherein the repellant finish
chemical of said coating comprises a resin based finish.
8. (Withdrawn) The device according to Claim 7, wherein the resin based finish
comprises a modified melamine formaldehyde resin based finish.
9. (Withdrawn) The device according to Claim 7, wherein the repellant finish
chemical of said coating further includes a wax.

U.S. PTO Customer No. 25280

Case No.: 5235

10. (Withdrawn) The device according to Claim 1, wherein the repellent finish chemical of said coating includes material selected from the group consisting of: waxes, wax-metal emulsions, and organometallic complexes.
11. (Withdrawn) The device according to Claim 1, wherein the cationic material of said coating comprises a polymeric compound.
12. (Withdrawn) The device according to Claim 1, wherein the cationic material of said coating comprises a non-polymeric organic compound.
13. (Withdrawn) The device according to Claim 1, wherein the cationic material of said coating comprises a metal salt.
14. (Withdrawn) The device according to Claim 13, wherein the metal salt comprises a water soluble salt of cations selected from the group of the periodic table consisting of: Group II, Group III, and the Transition Metals.
15. (Withdrawn) The device according to Claim 1, wherein the sorbant polymer comprises a synthetic polymer.
16. (Withdrawn) The device according to Claim 1, wherein the sorbant polymer comprises a natural polymer.
17. (Withdrawn) The device according to Claim 1, wherein said textile comprises a woven fabric.
18. (Withdrawn) The device according to Claim 1, wherein said textile comprises a knit fabric.

U.S. PTO Customer No. 25280

Case No.: 5235

19. (Withdrawn) The device according to Claim 1, wherein said textile comprises a nonwoven material.
20. (Withdrawn) The device according to Claim 1, wherein said textile comprises a pile material.
21. (Withdrawn) The device according to Claim 1, further including an image disposed on the first surface of said textile having the coating thereon.
22. (Withdrawn) The device according to Claim 21, wherein the image disposed on said textile comprises a colorant selected from the group consisting of: dyes, pigments, and polymeric colorants.
23. (Previously presented) A device comprising:
a textile substrate having a first surface;
a coating on the first surface of said textile substrate, said coating including a repellant finish chemical, a cationic material, and a sorbant polymer, wherein the repellant finish chemical is present on the textile in an amount ranging from about 0.01 to about 15 dry weight percent on the weight of the textile.
24. (Previously presented) A device comprising:
a textile substrate having a first surface;
a coating on the first surface of said textile substrate, said coating including a repellant finish chemical, a cationic material, and a sorbant polymer, wherein the repellant finish chemical is present on the textile in an amount ranging from about 0.1 to about 5 dry weight percent on the weight of the textile.
25. (Previously presented) A device comprising:
a textile substrate having a first surface;

U.S. PTO Customer No. 25280

Case No.: 5235

a coating on the first surface of said textile substrate, said coating including a repellent finish chemical, a cationic material, and a sorbant polymer, wherein the repellent finish chemical comprises a resin based finish.

26. (Previously presented) A device comprising:
a textile substrate having a first surface;
a coating on the first surface of said textile substrate, said coating including a repellent finish chemical, a cationic material, and a sorbant polymer, wherein the cationic material of said coating comprises a water soluble metal salt of cations selected from the group of the periodic table consisting of: Group II, Group III, and the Transition Metals.
27. (Previously presented) A device comprising:
a textile substrate having a first surface;
a coating on the first surface of said textile substrate, said coating including a repellent finish chemical, a cationic material, and a sorbant polymer, wherein the sorbant polymer is present on the textile in an amount ranging from about 0.01 to about 60 dry weight percent on the weight of the textile, and wherein the repellent finish chemical of said coating comprises a repellent fluorochemical.
28. (Previously presented) A device comprising:
a textile substrate having a first surface;
a coating on the first surface of said textile substrate, said coating including a repellent finish chemical, a cationic material, and a sorbant polymer, wherein the sorbant polymer is present on the textile in an amount ranging from about 0.1 to about 10 dry weight percent on the weight of the textile, and wherein the repellent finish chemical of said coating comprises a repellent fluorochemical.

U.S. PTO Customer No. 25280

Case No.: 5235

IX. EVIDENCE APPENDIX

Applicant is not aware of any evidence.

U.S. PTO Customer No. 25280

Case No.: 5235

X. RELATED PROCEEDINGS APPENDIX

Applicant is not aware of any such related proceedings.